

# Albuquerque Stair LLC



Red Oak 4000 Newels, 6084 Handrail with  
stainless round bar bracket (shown)

Create the ideal modern aesthetic by combining stainless steel cable and rich oak. The expansive views allowed for by cable make it ideal for balconies as well as staircases.



STAIR & RAILING PRODUCTS BY

 **HOUSE OF  
FORGINGS**



— Stainless Steel —

# Cable Railing



Outside to Outside  
Level/Balcony  
**HFC18.262T-S**



Outside to Outside  
Angle/Rake  
**HFC18.262T-A**



Outside to Inside  
Level/Balcony  
**HFC18.601T**



Pre Swaged 1/8" cable (5',10',15',18')

- HFC18-5T** (5ft) Swaged Threaded Stud
- HFC18-10T** (10ft) Swaged Threaded Stud
- HFC18-15T** (15ft) Swaged Threaded Stud
- HFC18-18T** (18ft) Swaged Threaded Stud

Inside to Inside  
Level/Balcony  
**HFC18.300**



Inside to Inside  
Angle/Rake  
**HFC18.500**




Pre Swaged 1/8" cable (5',10',15',18')


- HFC18-5** (5ft) Swaged Ferrule
- HFC18-10** (10ft) Swaged Ferrule
- HFC18-15** (15ft) Swaged Ferrule
- HFC18-18** (18ft) Swaged Ferrule

\* All components are made from 316 Stainless Steel for marine grade corrosion resistance.

## Modern Handrail



**6084** Straight Rail  
Available in 8' & 16'  
No fittings available



**6002** Straight Rail  
Available in 8' & 16'  
No fittings available

## Wall Mount Handrail Bracket



**HF17.4002**  
HT. 2-1/2"  
Base = 1-1/2" x 2"  
Extends 3-1/4" off wall  
**ADJUSTABLE**



## Newel



**4000**  
HT. 54"  
W = 3-1/4"

## Intermediate Newel



**4923-41**  
HT. 41"  
W = 1-3/4"



## Stainless Newel (cut to length for brackets)



**HF17.1.2-T**  
Ends: 1-3/16" Rd.  
HT. 47"  
Wt. 5.7 lbs.  
**TUBULAR**

## Newel Mount Handrail Bracket



**HF17.4001**  
HT. 1-3/4"  
Base = 1-1/2" sq.  
**ADJUSTABLE**

mounting hardware included

## Newel Cap



**SQUARE CAP-4000**  
3-1/4" Square  
3/4" x 1" dowel



## Insert Tube



Length: 1-1/2"  
**HFC18.TUBE**

## Release Key



**HFC18.KEY**

\* All wood parts stocked in Red Oak